

EXPOSURE CABINET

for ERESKO 42 MF4 / 42 MF4-W



Application

The exposure cabinet is designed for radiographic inspection of small components, as well as welding samples as made during welders qualification tests. The cabinet can also be used for irradiation of biological or similar samples.

The cabinet is designed and equipped as a fully protected unit in compliance with the German X-ray Regulations RöV in their up-to-date version.

At the front side the two hinged doors are secured with safety door switches. The radiating unit ERESKO 42 MF4 (air-

cooled) or ERESKO 42 MF4-W (water-cooled) is mounted horizontally inside the cabinet. The beam is directed vertically down.

When using the air-cooled unit, the duty cycle is limited due to the limited volume of the cabinet.

Normal exposure operation (at 5 min exposure / 5 min pause) is possible, provided the doors are kept open between the exposures.

For long term irradiation the use of the water-cooled unit is recommended.

Features


- No additional radiation protection measures are required.
- Equipped with a side-mounted support for the Digital Control ERESKO MF4
- Produced under ISO 9001 certified quality management system.



GE imagination at work

Technical Data

Width	1324 mm (52.1")
Depth	613 mm (24.1")
Height	1812 mm (3.0")
Weight	550 kg (1210 lbs), without radiating unit
Focus-film distance, max.	730 mm (28.7")



www.gesensinginspection.com

GEIT-30194EN (07/09)

© 2008 General Electric Company. All Rights Reserved. Specifications are subject to change without notice. GE is a registered trademark of General Electric Company. Other company or product names mentioned in this document may be trademarks or registered trademarks of their respective companies, which are not affiliated with GE.

Contact: GE Sensing & Inspection Technologies GmbH, Bogenstrasse 41, 22926 Ahrensburg, Germany, T +49 (0)4102 807 0